


PLAN VIEW

NOTES:

- 1. PAVERS TO BE MUTUAL MATERIALS HOLLAND SERIES (SIZE 2-3/8 INCH X 7/8 INCH X 3-15/16 INCH). STANDARD RED OR APPROVED EQUAL. PAVER TO BE SAND SET AND COATED WITH SAND JOINT STABILIZER ('PAVER KARE' OR APPROVED EQUAL).
- 2. A STAMPED CONCRETE PATTERN MAY BE SUBSTITUTED FOR PAVERS WITH APPROVAL BY THE CITY. STAMP PATTERN WOULD BE A CUSTOM PATTERN AS THERE ARE NO EQUIVALENT AVAILABLE PATTERNS. CONCRETE STAMP COLOR TO BE APPROVED BY THE CITY.
- 3. DIAGONAL SCORING TO BE AT 45 DEGREES TO CENTER LINE OF ROAD TYPICAL.



PAVER BAND-SECTION

NTS

CITY OF REDMOND, WASHINGTON

APPROVED BY: RON GRANT

CITY ENGINEER

REVISION DATE: MARCH 01, 2010





STANDARD DETAILS

TYPE 5 & 5A DOWNTOWN PEDESTRIAN SIDEWALK

FILE NAME: SD303B.DWG DETAIL NUMBER: 303B