Executive Summary	
Figure ES.1 Transportation Master Plan Priorities	4
1. Introduction	
Figure 1.1 RCTV coverage of the April 2004 "getting to there" public workshop	1
2. Vision, Framework, Goals and Policies	
None	
3. Trends and Conditions	
Figure 3.1 SR 520 during the evening traffic Figure 3.2 Facilities for travel Figure 3.3 Facilities for circulation Figure 3.4 Facilities for access Figure 3.5 Demographic trends Figure 3.6 Demographic percent change Figure 3.7 Average Annual Traffic Growth on Redmond roads (1993 to 2003) chart Figure 3.8 Average Annual Traffic Growth on Regional Roads (1998 to 2003) table Figure 3.9 1993-2003 motor vehicle collisions Figure 3.10 1993 to 2003 motor vehicle accidents with injury Figure 3.11 1993 to 2003 motor vehicle accidents with fatalities Figure 3.12 1990-2003 Annual (average daily) Redmond Boardings (Weekday Metro & Sound Transit) Figure 3.13 1990-2003 Annual (average daily) Redmond Transit Revenue Hours (Metro & Sound Transit) Figure 3.14 1990-2003 Boardings per Revenue Hour (Metro & Sound Transit) Figure 3.15 148th Ave NE Transit trends. Figure 3.16 156th Ave NE Transit trends. Figure 3.17 Redmond Way Transit trends. Figure 3.18 Redmond work commute mode split Figure 3.19 Population represented in each survey	2 2 2 3 3 3 3 4 4 4 5 5 5 6 6 6 7 7
Figure 3.20 The LUTAQH research model.  Figure 3.21 Mode share comparison of LUTAQH and NTPS.  Figure 3.22 Distance category by mode share  Figure 3.23 Mode share by distance category.  Figure 3.24 Average trip length by mode.  Figure 3.25 Demographic forecasts table.  Figure 3.26 Demographic forecasts chart.  Figure 3.27 Average annual growth in traffic on Redmond roads (1998-2022)	8 9 9 10 10
4. Transportation Objectives and Concurrency Management	
Figure 4.1 Roadway LOS Criteria (Peak Hour, Bi-directional)  Figure 4.2 LOS Screenlines Map  Figure 4.3 Regional Transit LOS Standards  Figure 4.4 Local Transit Connectivity Measures  Figure 4.5 2022 Local Transit LOS Standards  Figure 4.6 Bicycle System LOS Standards  Figure 4.7 Bicycle Corridor LOS Map  Figure 4.8 Pedestrian LOS Standards	5 6 7 7 8 9

## LISTOFFIGURES

Figure 4.9 CTR Mode Share Objectives	. 11
5. Modal Elements	
5A. Pedestrian Program Plan	
Figure 5A.1 Everyone in Redmond is a pedestrian for a portion of all trips.  Figure 5A.2 Components Influencing the Pedestrian Environment  Figure 5A.3 Levels of Pedestrian Friendliness.  Figure 5A.4a Criteria for sidewalk width and placement  Figure 5A.4b Criteria for sidewalk width and placement in Mixed-Use Activity Centers.  Figure 5A.5 Preferred curb ramp treatments for enhanced pedestrian safety  Figure 5A.6 Criteria for pedestrian crossing treatments  Figure 5A.7 Map of Hierarchy of Pedestrian Environments	. 3 . 4- . 11 . 12 . 14
5B. Bicycle System Plan	
Figure 5B.1 Redmond has various types of bicyclists who desire various levels of bicycle accommodation	. 2 . 3 . 5 . 6 . 7 . 8 . 10 . 10 . 11 . 13
<b>5C. Transit System Plan</b> Figure 5C. 1 Sound Transit 545 provides an important regional connection from Dadwood	
Figure 5C.1 Sound Transit 545 provides an important regional connection from Redmond to downtown Seattle	
while Sound Transit provides express connection to regional destinations while Sound Transit provides express connection to regional destinations Figure 5C.4 Regional transit route detail Figure 5C.6 Redmond transit routes Figure 5C.7 Local Transit Destinations by TMD Figure 5C.8 Transit travel times between Transportation Management Districts (Summer 2004) Figure 5C.9 Regional transit plans in the Puget Sound Region Figure 5C.10 Redmond's regional connections. Figure 5C.11 Travel times between Urban Centers and regional	. 3 . 5 . 8 . 9
destinations (all day routes & peak only)	. 15
FIGURE SC. 12 MAD DEPLODOSED INDROVENIENTS TO REGIONAL CONNECTIONS	. 1.

## 5D. Thoroughfare Plan

Figure 5D.1 Redmond roads serve all modes of travel	1
Figure 5D.2 Redmond Traffic Growth 2003 - 2022	
Figure 5D.3 Traffic Growth 2003 - 2022 by Transportation Management District	2
Figure 5D.4 Annual Screenline Growth 2003 - 2022	
Figure 5D.5 Pass-Through Traffic in Downtown Redmond: 2004	4
Figure 5D.6 Pass-Through Traffic in Downtown Redmond: 2022	4
Figure 5D.7 Build Out Maximum Right of Way	
Figure 5D.8 Principal Arterial Streets	
Figure 5D.9 Minor Arterial Streets	
Figure 5D.10 Collector Arterial Streets	
Figure 5D.11 Connector Streets	
Figure 5D.12 Functional Classification Map	
Figure 5D.13 Roadway Connections Project	
5E. Model Integration: Access and Circulation	
VL. Mivugi ilitayi ativii. Avvaso aliu vii vulativii	
Figure 5E.1 The success of a multimodal transportation system relies on safe and	
convenient travel environments for all modes	1
Figure 5E.2 On-street bike lanes, sidewalks and transit stops along Old Redmond Road	
provide multimodal travel options	2
Figure 5E.3 On-street parking, slow speed streets and continuous pedestrian facilities	
provide multimodal travel options along 166th Ave NE in Redmond Town Center	2
Figure 5E.4 The intersections of two multimodal corridors at 156th Ave NE and NE 40th St	
Figure 5E.5 NE 24th St.	
Figure 5E.6 Land use and transportation recommendations for multimodal corridors	
Figure 5E.7 Multimodal Map	
Tigare SE.7 Martimodal Map	13
EE Romand Managament	
5F. Demand Management	
Figure 5F.1 TDM improves mobility	1
Figure 5F.2 TDM public infrastructure	
Figure 5F.3 TDM private infrastructure	
Tigare of 19 Town private infrastructure	3
C Tronggortation Facilities Disp	
6. Transportation Facilities Plan	
Figure 6.1 2005-2022 Transportation Revenue Forecasts	3
Figure 6.2 TMP Priorities	5
Figure 6.3 2022 TFP Project List	
Figure 6.4 2022 TFP Project Map	
Tigure 0.7 2022 TEF FEOJECT Map	IJ

## LISTOFFIGURES

## 7. Performance Monitoring System

Figure 7.1 Example	
Figure 7.2 Sound Transit Route Ridership	
Figure 7.3 Metro Route Ridership	3
Figure 7.4 Boardings/Revenue Hour	4
Figure 7.5 Park and Ride Utilization	4
Figure 7.6 Average Daily VMT	5
Figure 7.7 Average Daily Traffic	
Figure 7.8 Annual Traffic Growth	6
Figure 7.9 Annual Screenline Growth 2003-2022	
Figure 7.10 Traffic Accidents	8
Figure 7.11 Bike & Pedestrian Accidents	8
Figure 7.12 Travel Time from Downtown	9
Figure 7.13 Travel Time from Overlake	9
Figure 7.14 Service Frequency: Downtown	
Figure 7.15 Service Frequency: Overlake	10
Figure 7.16 Hours of Weekday Service - Local Routes	
Figure 7.17 Directness of Weekday Service Connections - Local Routes	12
Figure 1.18 Connection Service Frequency	13
Figure 7.19 Screenlines	
Figure 7.20 Roadway Level of Service	15
Figure 7.21 Bicycle System Priorities	
Figure 7.22 Pedestrian Adequacy	
Figure 7.23 CTR Commute Mode Share	
Figure 7.24 Status of Actions Scheduled for 2005	
Figure 7.25 Redmond Population	
Figure 7.26 Redmond Employment	
Figure 7.27 Redmond Dwelling Units	
Figure 7.28 Report Year Pass-Through Traffic	
Figure 7.29 2022 ForecastPass-Through Traffic	
Figure 7.30 Pedestrian Adequacy by TMD	22
Figure 7.31 All Day Resident Mode Share	22
8. Regional Transportation	
v. negivilai 11 aliopvi tativii	
None	
9. Three-Year Priority Action Plan	
Figure 9.1 Priority Action Plan Schedules	5-7
Appendices	
••	
Figure A1.1 Buildout Transportation Facilities Plan	5